Polymeric Engineered Solutions

PES 100 MEDIUM GRAY - PAIL

Date Printed: 6/21/2017

Page 1 of 13

1. Product and Company Identification

Product Name : PES 100 MEDIUM GRAY - PAIL

Product Code : 600D18-PL

Recommended Use: Please refer to Product Information/Technical Data Sheet.

Company Identification:

Polymeric Engineered Solutions

5401 Hwy 21 West Bryan, TX 77803

Information Phone: 979-779-8700

Emergency Phone: ChemTel 800-255-3924

2. <u>Hazards Identification</u>

EMERGENCY OVERVIEW

WARNING

Flammable Liquid & Vapor, Category 3 Acute Toxicity, Category 4 Skin Irritation, Category 2

Eye Irritation, Category 2B

Chronic Toxicity, (Toxic to Reproduction) Category 1A

Chronic Toxicity, Aspiration Hazard, Category 1 Chronic Toxicity, (Carcinogenicity) Category 1







Potential Health Effects Eye:

Polymeric Engineered Solutions

PES 100 MEDIUM GRAY - PAIL

Date Printed: 6/21/2017

Page 2 of 13

Can cause eye irritation.

Skin:

Causes skin irritation.

Ingestion:

May be fatal if swallowed and enters airways.

If swallowed, immediately call a poison control center or physician. Do NOT induce vomiting.

Inhalation:

May cause drowsiness or dizziness.

Chronic (Cancer) Information:

Contains CRYSTALLINE SILICA, which can be a health hazard. Respirable crystalline silica can cause the occupational

lung disease silicosis (a scarring of the lungs), and IARC concluded in October 1996 that crystalline silica is

carcinogenic to humans. Silicosis increases the risk of tuberulosis, autoimmune and chronic kidney diseases, as well as

non-malignant respiratory disease (such as chronic bronchitis and emphysema).

IARC: A component of this product present at levels greater than or equal to 0.1% is identified as a probable, possible

or confirmed human carcinogen by IARC.

ACGIH: A component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP: A component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Teratology (Birth Defects) Information:

May damage fertility or the unborn child.

Reproduction Information:

Contains xylene, which may harm the developing fetus if a pregnant woman is overexposed. Xylene may affect the liver, kidneys, G.I., blood.

Aggravation of Pre-Existing Conditions: Dermititis or other skin conditions.

3. Composition/Information on Ingredients

Component CAS# % by Wt.

NEPHELINE SYENITE 37244-96-5 28

Polymeric Engineered Solutions

PES 100 MEDIUM GRAY - PAIL

Date Printed: 6/21/2017

Page 3 of 13

OSHA: 5MG/M3 TWA (RESPIRABLE FRACTION) ACGIH: 10 MG/M3 TWA (INHALABLE FRACTION)		
MSHA 5 MG/M3 TWA (RESPIRABLE FRACTION)		
QUARTZ	14808-60-7	22
(RESPIRABLE DUST ONLY; THIS WOULD	14000-00-7	2.2
INCLUDE ONLY PARTICLES 10 MICROMETERS OR LESS:		
OSHA PEL: 0.1 MG/M3		
ACGIH TLV: 0.1 MG/M3		
	1220 20 7	1.0
*+ XYLENE	1330-20-7	16
ACGIH: 100 PPM TWA		
OSHA: 100 PPM TWA	1011 00 1	
ALUMINUM OXIDE	1344-28-1	13
OSHA PEL: 15 MG/M3 TWA		
ACGIH TLV: 10 MG/M3 TWA		
EPOXY ESTER RESIN	66070-75-5	11
NONE ESTABLISHED		
#+ ETHYL BENZENE	100-41-4	1.992
ACGIH TLV 100 PPM - TWA		
OSHA PEL 100 PPM - TWA		
OSHA PEL 100 PPM - TWA		
OSHA PEL 125 PPM - CEILING		
TITANIUM DIOXIDE	13463-67-7	1.100
ACGIH: 10 MG/M3 TWA - NUISANCE DUST		
OSHA: 10 MG/M3 TWA - NUISANCE DUST		
1-METHOXY 2-PROPANOL	107-98-2	1
ACGIH: 100 PPM TWA		
OSHA: 100 PPM TWA		
ACGIH: 150 PPM STEL		
OSHA: 150 PPM CEILING		

4. First Aid Measures

Eyes:

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Skin:

If on skin: wash with plenty of soap & water. If skin irritation occurs: Get Medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Ingestion:

May be fatal if swallowed and enters airways.

If swallowed: Immediately call a poison center/physician.

Polymeric Engineered Solutions

PES 100 MEDIUM GRAY - PAIL

Date Printed: 6/21/2017

Page 4 of 13

Do NOT induce vomiting.

Inhalation:

If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison control center/get medical attention if you feel unwell.

Note to Physicians:

Aspiration hazard - do not induce vomiting

<u>5.</u> Fire Fighting Measures

Flammable Properties:

Flash Point: >=80 F Method: TCC

Explosive Limits:

Lower explosive limit: 1.0
Upper explosive limit: 13.8

Autoignition Temperature:

INFORMATION NOT AVAILABLE.

Hazardous Combustion Products:

Smoke, soot and carbon dioxide, carbon monoxide.

Extinguishing Media:

Dry chemical, CO2, Halon, Foam

Firefighting Procedures:

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing.

Unusual Fire and Explosion Hazards: High temperatures can cause sealed

containers to rupture due to a build up of

internal pressure. Cool with water spray. Vapors are heavier than air and can travel some distance away and flash

back.

Sensitivity to Static Discharge: Material may accumulate a static charge which could act as an ignition source.

Precautions should be taken when pouring to minimize splash/free fall.

<u>6. Accidental Release Measures</u>

Small Spill:

See Information for Large Spill, below:

Large Spill:

Use personal protective equipment. Ensure adequate ventilation. Remove all

sources of ignition. Evacuate personnel to

safe areas. Beware of vapors accumulating to form explosive concentrations.

Vapors can accumulate in low areas.

Environmental Precautions:

INFORMATION NOT AVAILABLE.

Methods/Materials for Containment and Cleaning Up:

Polymeric Engineered Solutions

PES 100 MEDIUM GRAY - PAIL

Date Printed: 6/21/2017

Page 5 of 13

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/state/federal regulations.

7. Handling and Storage

Handling:

Keep away from heat, sparks, open flames, hot surfaces. NO SMOKING. Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/processing equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/eye protection/face protection.

Storage:

Prevent unauthorized access.

Store in a well ventilated place.

Keep container tightly closed.

Keep cool.

8. Exposure Controls/Personal Protection

Airborne Exposure Limits:

SEE SECTION 3 FOR THIS INFORMATION

Engineering Controls:

Ventilation: Good general ventilation (typically 10 air changes per hour) should be used.

Ventilation rates should be matched to conditions.

Ventilation should be explosion proof.

Supplementary local exhaust ventilation, closed systems, or respiratory

protection may be needed in special

circumstances such as poorly ventilated spaces, spray painting, mechanical generation of dusts, heating, drying, etc.

Personal Protective Equipment

Respiratory Protection:

If engineering controls do not maintain airborne concentrations to an acceptable level, an approved respirator must be

worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance

with OSHA Standard 63 CFR 1152, January 8, 1998. Respirator type: Organic Vapor.

Polymeric Engineered Solutions

PES 100 MEDIUM GRAY - PAIL

Date Printed: 6/21/2017

Page 6 of 13

Skin Protection:

Wear impervious gloves to prevent skin contact.

Recommended Decontamination Facilities: eye bath, washing facilities, safety

shower.

Eye Protection:

Chemical safety goggles or glasses with side shields.

9. Physical and Chemical Properties

Boiling Point: 248 F

Melting Point:

INFORMATION NOT AVAILABLE.

Freezing Point: n/a

Vapor Pressure:

Information not available for mixture

Vapor Density: HEAVIER THAN AIR Solubility in Water:

NEGLIGIBLE

Evaporation Rate: SLOWER THAN ETHER

Specific Gravity: 1.698

Weight per Gallon: 14.143 lb/gl

Coating VOC: 2.8 lb/gl

Material VOC: 2.8 lb/gl

Odor:

Mild solvent odor.

Appearance:

Liquid.

Partition Coefficient: INFORMATION NOT AVAILABLE.

10. Stability and Reactivity

Chemical Stability (Conditions to Avoid):

Stable under normal storage/use conditions.

Incompatibility:

Avoid strong oxidizing agents, acids and alkalies.

Hazardous Decomposition Products:

INFORMATION NOT AVAILABLE.

Hazardous Polymerization:

Will not occur under normal conditions.

Polymeric Engineered Solutions

PES 100 MEDIUM GRAY - PAIL Date Printed: 6/21/2017

Page 7 of 13

11. Toxicological Information

```
Eye Irritation/Damage:
Component 100-41-4:
Mild eye irritation, Category 2b
Component 37244-96-5:
Mechanical eye irritation only
Component 1330-20-7:
Mild eye irritation, Category 2B
Skin Irritation/Damage:
Component 100-41-4:
LD50: >2000 mg/kg, rat. Category 5
Component 37244-96-5:
LD50: No data
Component 1330-20-7:
LD50: 15,433, rabbit. Category 5.
Mild irritation to skin. Category 2.
Acute Oral Toxicity:
Component 100-41-4:
LD50: >2000 mg/kg, rat. Category 5.
Component 13463-67-7:
LD50: 10,000 mg/kg, rat. Category 5
Component 14808-60-7:
LD50: >5000 mg/kg, rat. Category 5
Component 37244-96-5:
LD50: no data
Component 1330-20-7:
LD50: 5000 mg/kg, rat. Category 5
Component 107-98-2:
LD50: 7200 mg/kg, rat. Category 5
Acute Inhalation Toxicity:
Component 100-41-4:
LC50: 2-20 \text{ mg/l}, rat. Category 3
Component 1330-20-7:
LD50: 18.8-25.9 mg/L, rat. Category 4
```

Polymeric Engineered Solutions

No data

```
PES 100 MEDIUM GRAY - PAIL
Date Printed: 6/21/2017
Page 8 of 13
Respiratory/Skin Sensitization:
Component 100-41-4:
No evidence of respiratory or skin sensitization.
Component 37244-96-5:
No evidence of respiratory or skin sensitization.
Component 1330-20-7:
No evidence of respiratory or skin sensitization.
Carcinogenicity:
Component 100-41-4:
Not listed as a carcinogen by IARC, NTP, OSHA or ACGIH
Component 13463-67-7:
Listed by IARC as a group 2B carcinogen (possibly carcinogenic to humans).
                                                                               GHS
Category 2.
Component 14808-60-7:
Listed by IARC as a group 1 carcinogen (carcinogenic to humans), and as a known
carcinogen by NTP. GHS Category 1A.
Component 37244-96-5:
Not listed as a carcinogen by IARC, NTP, OSHA or ACGIH
Component 1330-20-7:
Not listed as a carcinogen by IARC, NTP, OSHA or ACGIH.
Reproductive Toxicity:
Component 100-41-4:
No evidence of human reproductive toxicity.
Component 37244-96-5:
No evidence of human reproductive toxicity.
Component 1330-20-7:
Known human reproductive toxicant; Category 1A
Germ Cell Mutagenicity:
Component 100-41-4:
No data
Component 37244-96-5:
No data
Component 1330-20-7:
```

Polymeric Engineered Solutions

PES 100 MEDIUM GRAY - PAIL Date Printed: 6/21/2017 Page 9 of 13 Aspiration Toxicity: Component 100-41-4: Not classified as an Aspiration Hazard. Component 37244-96-5: Not classified as an Aspiration Hazard. Component 1330-20-7: Aspiration Hazard; Category 1 Component 107-98-2: Not classified as an Aspiration Hazard. STOT-single exposure Component 100-41-4: No data Component 37244-96-5: No data Component 1330-20-7: No data Component 107-98-2: No data STOT-repeated exposure Component 100-41-4: Repeated exposure affected liver, kidneys Component 37244-96-5: No data Component 1330-20-7: No data Component 107-98-2: No data Routes of Exposure: Inhalation of vapors, skin/eye/mucous membrane absorption, ingestion. 12. Ecological Information Environmental Toxicity: Component 100-41-4: LC50: <10 mg/l (fish); EC50: <10 mg/l (daphnia); EC50: <10 mg/l (algae); EC50: <10 mg/l (bacteria) Component 37244-96-5: No data Component 1330-20-7:

Polymeric Engineered Solutions

PES 100 MEDIUM GRAY - PAIL Date Printed: 6/21/2017 Page 10 of 13 LC50: 8.4 mg/l (fish); EC50: 9.55 mg/l (daphnia); EC50: 3.2 mg/l (algae) Persistance & degradability: Component 100-41-4: Readily biodegradable Component 37244-96-5: No data Component 1330-20-7: Readily biodegradable Bioaccumulative potential: Component 100-41-4: Does not bioaccumulate Component 37244-96-5: No data Component 1330-20-7: Not expected to bioaccumulate Mobility in soil: Component 100-41-4: Mobile; may contaminate groundwater Component 37244-96-5: No data Component 1330-20-7: No data Other Adverse Ecological Effects: Component 100-41-4: Dissolved material evaporates rapidly - within a day from water or soil surfaces. Component 37244-96-5:

Not expected to present an environmental hazard.

Polymeric Engineered Solutions

PES 100 MEDIUM GRAY - PAIL

Date Printed: 6/21/2017

Page 11 of 13

Component 1330-20-7:

Toxic to aquatic life with long lasting results.

13. Disposal Considerations

Waste Disposal Method:

Discharge, treatment or disposal is subject to national, state, or local laws.

When a decision is made to discard this

material as supplied, it meets RCRA's characteristic definition of ignitability.

The toxicity characteristic (TC) has

not been evaluated by the Toxicity Characteristic Leaching Procedure (TCLP).

Federal Regulations may apply to empty container. State and/or local

regulations may be different.

Of the methods of disposal currently available, it is recommended that an

alternative be selected according to the

following order of preference, based upon environmental acceptability: (1)

recycle or rework, if feasible; (2)

incinerate at an authorized facility; or (3) treat at an acceptable waste

treatment facility.

Be sure to contact the appropriate government environmental agencies if further guidance is required.

14. Transport Information

Domestic (Land, DOT), International (Water, IMO/IMDG), International (Air, ICAO)

Road and Rail (ADR/RID), Air (ICAO/IATA), Vessel (IMO/IMDG):

DOT (USA) Shipping Name: Paint

UN/NA ID No: UN1263

Hazard Class: Class 3 (IATA/49CFR)

Packing Group: III

(ABOVE APPLIES ONLY IF SHIPPED IN SIZE(S) OVER LIMITED QTY EXCEPTION)

Environmental Hazards:

INFORMATION NOT AVAILABLE.

Marine Pollutant:

Components of this product do not appear on the list of Marine Pollutants (49CFR 172.101)

Special Precautions for User:

INFORMATION NOT AVAILABLE.

Polymeric Engineered Solutions

PES 100 MEDIUM GRAY - PAIL

Date Printed: 6/21/2017

Page 12 of 13

15. Regulatory Information

U.S. Federal Regulations: TSCA: All components of this material are on the US TSCA 8(b) Inventory or are exempt from listing. OSHA: This product is hazardous under OSHA's Hazard Communication Std. Not regarded as a health hazard under current legislation. CERCLA: SARA Hazard Category: INFORMATION NOT AVAILABLE. Section 313: "*" Indicates toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372. International Regulations: Canadian WHMIS: INFORMATION NOT AVAILABLE. Canadian Environmental Protection Act (CEPA): INFORMATION NOT AVAILABLE. EINECS: INFORMATION NOT AVAILABLE. State Regulations: "#" Indicates a chemical known to the state of California to cause cancer, birth defects or other reproductive harm. "+" Indicates a Clean Air Act Hazardous Air Pollutant (HAP). Volatile Organic Compounds: COATING VOC content is being expressed as mass of VOC per unit volume of coating less water and exempt solvents, where applicable. MATERIAL VOC content is the actual weight of VOC per unit volume.

16. Other Information

Date Revised: 06/21/17
Prepared By: Regulatory Compliance
Information Contact: Regulatory Compliance 413-592-4191 ext 106
Manufacturer Disclaimer:
USERS RESPONSIBILITY: A bulletin such as this cannot be expected to cover all possible individual situations. As the user has the responsibility to provide a safe workplace, all aspects of an individual operation should be examined to determine if, or where, precautions - in addition to those described herein - are required. Any health hazard and safety information herein should be passed on to your customers or employees, as the case may be.

Polymeric Engineered Solutions

PES 100 MEDIUM GRAY - PAIL

Date Printed: 6/21/2017

Page 13 of 13

DISCLAIMER OF LIABILITY: The information contained herein is, to the best of our knowledge and belief, accurate.

However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no

liability for damages incurred by use of this material. All chemicals may present unknown health hazards and should be

used with caution. Although certain hazards are described herein, we cannot quarantee that these are the only hazards

which exist. Final determination of suitability of the chemical is the sole responsibility of the user. No

representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or any

other nature are made hereunder with respect to the information contained herein or the chemical to which the

information refers. These data relate only to the specific material designated herein and do not relate to use in

combination with any other material. It is the responsibility of the user to comply with all applicable federal, state and local laws and regulations.

End of Material Safety Data Sheet