# Polymeric Engineered Solutions

PES WB EPOXY SURFACE PRIMER KIT - GALLON

Date Printed: 6/8/2015

Page 1 of 8

# 1. Product and Company Identification

Product Name : PES WB EPOXY SURFACE PRIMER KIT - GALLON

Product Code : 650C01-GLKIT

Recommended Use: Please refer to Product Information/Technical Data Sheet.

Company Identification:

Polymeric Engineered Solutions

5401 Hwy 21 Bryan, TX 77803

Information Phone: 979-779-8700

Emergency Phone: ChemTel 800-255-3924

#### 2. <u>Hazards Identification</u>

EMERGENCY OVERVIEW

NO SIGNAL WORD OR PICTOGRAMS APPLY TO THIS PRODUCT

Potential Health Effects

Eve:

May cause mechanical irritation.

Skin:

May cause mechanical skin irritation.

Ingestion:

Not hazardous in normal industrial use.

Inhalation:

Not expected to cause effects from inhalation.

Chronic (Cancer) Information:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probably, possible

or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or

potential carcinogen by ACGIH.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Teratology (Birth Defects) Information:

No specific information.

Reproduction Information:

# Polymeric Engineered Solutions

PES WB EPOXY SURFACE PRIMER KIT - GALLON

Date Printed: 6/8/2015

Page 2 of 8

No specific information.

Aggravation of Pre-Existing Conditions:

No specific information.

# 3. Composition/Information on Ingredients

Component CAS# % by Wt.

1-METHOXY 2-PROPANOL 107-98-2 3

ACGIH: 100 PPM TWA
OSHA: 100 PPM TWA
ACGIH: 150 PPM STEL
OSHA: 150 PPM CEILING

#### 4. First Aid Measures

#### Eyes:

Any material that contacts the eye should be washed out immediately with water.

Flush with water for at least 15

minutes. If easy to do, remove contact lenses. Get medical attention if symptoms persist.

#### Skin:

Wash with soap and water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Ingestion:

Do NOT induce vomiting. Drink 1 or 2 glasses of milk or water to dilute. Call a poison control center or get medical

attention immediately. Never give anything by mouth to an unconscious person.

#### Inhalation:

If symptomatic, move to fresh air. Get medical attention if symptoms persist.

Note to Physicians:

INFORMATION NOT AVAILABLE.

# 5. Fire Fighting Measures

Flammable Properties:

Flash Point: > 200 F Method:

Explosive Limits:

Lower explosive limit: 6.0 Upper explosive limit: 13.8

Autoignition Temperature:

INFORMATION NOT AVAILABLE.

Hazardous Combustion Products:

INFORMATION NOT AVAILABLE.

Extinguishing Media:

# Polymeric Engineered Solutions

PES WB EPOXY SURFACE PRIMER KIT - GALLON

Date Printed: 6/8/2015

Page 3 of 8

Water based material will not burn until all water has boiled away. Residual solids and/or product container may support combustion. Use water, foam, dry chemical or CO2.

Firefighting Procedures:

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing.

Unusual Fire and Explosion Hazards: High temperatures can cause sealed containers to rupture due to a build up of internal pressure. Cool with water spray.

# 6. Accidental Release Measures

Small Spill:

See Information for Large Spill, below:

Large Spill:

Use personal protective equipment. Ensure adequate ventilation.

Environmental Precautions:

Methods/Materials for Containment and Cleaning Up:

Contain spillage, and then collect with non-combustible absorbent material,

(e.g. sand earth, diatomaceous earth,

vermiculite) and place in container for disposal according to

local/state/federal regulations.

#### 7. Handling and Storage

Handling:

Store in a cool, dry, well ventilated area. Keep containers tightly closed.

EMPTY CONTAINER PRECAUTIONS: Attention! This container is hazardous when

empty. Follow label warnings even after

container is emptied since empty containers may retain product residues. Do not re-use empty container without

professional cleaning for food, clothing or products. for human or animal consumption or where skin contact can occur.

Storage:

Prevent unauthorized access.

Store in a well ventilated place.

Keep container tightly closed.

Keep cool.

#### <u>8. Exposure Controls/Personal Protection</u>

Airborne Exposure Limits: SEE SECTION 3 FOR THIS INFORMATION Engineering Controls:

# Polymeric Engineered Solutions

PES WB EPOXY SURFACE PRIMER KIT - GALLON

Date Printed: 6/8/2015

Page 4 of 8

Ventilation: Good general ventilation (typically 10 air changes per hour)

should be used.

Ventilation rates should be matched to conditions.

Ventilation should be explosion proof.

Supplementary local exhaust ventilation, closed systems, or respiratory

protection may be needed in special

circumstances such as poorly ventilated spaces, spray painting, mechanical generation of dusts, heating, drying, etc.

Personal Protective Equipment

Respiratory Protection:

If engineering controls do not maintain airborne concentrations to an acceptable level, an approved respirator must be

worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance

with OSHA Standard 63 CFR 1152, January 8, 1998. Respirator type: Organic Vapor.

Skin Protection:

Wear impervious gloves to prevent skin contact.

Recommended Decontamination Facilities: eye bath, washing facilities, safety shower.

Eye Protection:

Chemical safety goggles or glasses with side shields.

# 9. Physical and Chemical Properties

Boiling Point: 212 F Freezing Point: 32 F

Vapor Pressure:

NO INFORMATION AVAILABLE

Vapor Density: HEAVIER THAN AIR Solubility in Water:

SOLUBLE

Evaporation Rate: SLOWER THAN ETHER

Specific Gravity: 1.046

pH Range: 8-10

Coating VOC: 0.65 lb./gal

Material VOC: 0.29 lb./gal

Odor:

# Polymeric Engineered Solutions

PES WB EPOXY SURFACE PRIMER KIT - GALLON

Date Printed: 6/8/2015

Page 5 of 8

Mild acrylic odor.

Appearance:

Liquid.

Partition Coefficient:

INFORMATION NOT AVAILABLE.

# 10. Stability and Reactivity

Chemical Stability (Conditions to Avoid): Stable under normal storage/use conditions. Incompatibility: Avoid strong oxidizing agents, acids and alkalies. Hazardous Decomposition Products: Smoke, soot and carbon dioxide, carbon monoxide.

Hazardous Polymerization:

Will not occur under normal conditions.

#### 11. Toxicological Information

Eye Irritation/Damage: INFORMATION NOT AVAILABLE. Skin Irritation/Damage: INFORMATION NOT AVAILABLE. Acute Oral Toxicity: Component 107-98-2: LD50: 7200 mg/kg, rat. Category 5

Acute Inhalation Toxicity: INFORMATION NOT AVAILABLE. Respiratory/Skin Sensitization: INFORMATION NOT AVAILABLE. Carcinogenicity: INFORMATION NOT AVAILABLE. Reproductive Toxicity: INFORMATION NOT AVAILABLE. Germ Cell Mutagenicity: INFORMATION NOT AVAILABLE. Aspiration Toxicity: Component 107-98-2: Not classified as an Aspiration Hazard.

STOT-single exposure: Component 107-98-2:

No data

STOT-repeated exposure:

Component 107-98-2:

No data

# Polymeric Engineered Solutions

PES WB EPOXY SURFACE PRIMER KIT - GALLON

Date Printed: 6/8/2015

Page 6 of 8

Routes of Exposure:

Inhalation of vapors, skin/eye/mucous membrane absorption, ingestion.

INFORMATION NOT AVAILABLE.

#### 12. Ecological Information

Environmental Toxicity:

INFORMATION NOT AVAILABLE.

Persistence & degradability:

INFORMATION NOT AVAILABLE.

Bioaccumulative Potential:

INFORMATION NOT AVAILABLE.

Mobility in soil:

INFORMATION NOT AVAILABLE.

Other Adverse Ecological Effects:

No information

#### 13. Disposal Considerations

Waste Disposal Method:

Discharge, treatment or disposal is subject to national, state, or local laws.

The toxicity characteristic (TC) has not

been evaluated by the Toxicity Characteristic Leaching Procedure (TCLP).

Federal Regulations may apply to empty container. State and/or local

regulations may be different.

Of the methods of disposal currently available, it is recommended that an

alternative be selected according to the

following order of preference, based upon environmental acceptability: (1)

recycle or rework, if feasible; (2)

incinerate at an authorized facility; or (3) treat at an acceptable waste

treatment facility.

Be sure to contact the appropriate government environmental agencies if further

guidance is required.

Contaminated Materials:

INFORMATION NOT AVAILABLE.

#### 14. Transport Information

Domestic (Land, DOT), International (Water, IMO/IMDG), International (Air, ICAO)

Road and Rail (ADR/RID), Air (ICAO/IATA), Vessel (IMO/IMDG):

DOT (USA) Shipping Name: Not regulated by DOT/IATA

UN/NA ID No: n/a Hazard Class: n/a Packing Group: n/a

UN Number:

# Polymeric Engineered Solutions

PES WB EPOXY SURFACE PRIMER KIT - GALLON

Date Printed: 6/8/2015

Page 7 of 8

UN Shipping Name:

INFORMATION NOT AVAILABLE.

Transport Hazard Class:

Packing Group:

Environmental Hazards:

INFORMATION NOT AVAILABLE.

Marine Pollutant:

Components of this product do not appear on the list of Marine Pollutants (49CFR

172.101)

Special Precautions for User:

INFORMATION NOT AVAILABLE.

#### 15. Regulatory Information

U.S. Federal Regulations:

TSCA: All components of this material are on the US TSCA 8(b) Inventory or are exempt from listing.

OSHA:

This product is not considered to be hazardous under OSHA's Hazard Communication Std.

CERCLA: SARA Hazard Category:

INFORMATION NOT AVAILABLE.

Section 313:

"\*" Indicates toxic chemical(s) subject to the reporting requirements of

section 313 of Title III and of 40 CFR 372.

International Regulations:

Canadian WHMIS:

INFORMATION NOT AVAILABLE.

Canadian Environmental Protection Act (CEPA):

INFORMATION NOT AVAILABLE.

EINECS:

INFORMATION NOT AVAILABLE.

State Regulations:

INFORMATION NOT AVAILABLE.

Volatile Organic Compounds:

COATING VOC content is being expressed as mass of VOC per unit volume of

coating less water and exempt solvents, where

applicable.

MATERIAL VOC content is the actual weight of VOC per unit volume.

#### 16. Other Information

Date Revised: 06/08/15

Prepared By: Regulatory Compliance

Information Contact: Regulatory Compliance 979-779-8700

# Polymeric Engineered Solutions

PES WB EPOXY SURFACE PRIMER KIT - GALLON

Date Printed: 6/8/2015

Page 8 of 8

#### Manufacturer Disclaimer:

USERS RESPONSIBILITY: A bulletin such as this cannot be expected to cover all possible individual situations. As the

user has the responsibility to provide a safe workplace, all aspects of an individual operation should be examined to

determine if, or where, precautions - in addition to those described herein - are required. Any health hazard and

safety information herein should be passed on to your customers or employees, as the case may be.

DISCLAIMER OF LIABILITY: The information contained herein is, to the best of our knowledge and belief, accurate.

However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no

liability for damages incurred by use of this material. All chemicals may present unknown health hazards and should be

used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards

which exist. Final determination of suitability of the chemical is the sole responsibility of the user. No

representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or any

other nature are made hereunder with respect to the information contained herein or the chemical to which the

information refers. These data relate only to the specific material designated herein and do not relate to use in

combination with any other material. It is the responsibility of the user to comply with all applicable federal, state and local laws and regulations.

End of Material Safety Data Sheet